


## 外形尺寸图



## 单排电缆（圆电缆）卷盘参数表

电缆型号规格	允许电流 A		卷缆长度(米)	参 数 (单位: mm)			重量 kg	备注
	连续	瞬时		D <sub>1</sub>	D <sub>2</sub>	W		
3×16+1×6 (Φ=28.2mm)	66	85	50	600	1700	40		
			100	600	2200	40		
			150	600	2600	40		
14×1.5 (Φ=20.5mm)	7	12	50	600	1500	35		
			100	600	1900	35		
			150	600	2300	35		
24×1.5 (Φ=27.2mm)	7	12	50	600	1700	40		
			100	600	2200	40		
			150	600	2600	40		

## 单排电缆（圆电缆）卷盘参数表

电缆型号规格	允许电流 A		卷缆长度(米)	参 数 (单位: mm)				重 量 kg	备 注
	芯数×截面	连 续		瞬 时	D <sub>1</sub>	D <sub>2</sub>	W		
3×70+1×25 (Φ=51.5mm)	180	220	50	800	2200	65			
			100	800	2800	65			
			150	800	3500	65			
3×95+1×35 (Φ=56.8mm)	210	270	50	800	2400	70			
			100	800	3000	70			
			150	800	3800	70			
3×120+1×35 (Φ=60mm)	250	310	50	800	2400	70			
			100	800	3000	70			
			150	800	3800	70			
3×70 (Φ48.4mm)	180	220	50	800	2200	60			
			100	800	2800	60			
			150	800	3500	60			
3×95 (Φ=53.1mm)	210	270	50	800	2200	65			
			100	800	2800	65			
			150	800	3500	65			
3×120 (Φ=56.7mm)	250	310	50	800	2400	70			
			100	800	3000	70			
			150	800	3600	70			
3×50+1×25 (Φ=45.8mm)	140	180	50	800	2100	60			
			100	800	2800	60			
			150	800	3300	60			
3×35+1×16 (Φ=38.6mm)	113	150	50	600	1900	50			
			100	600	2500	50			
			150	600	3000	50			
3×25+1×16 (Φ=36mm)	91	125	50	600	1900	50			
			100	600	2500	50			
			150	600	3000	50			

## 单排电缆（扁电缆）卷盘参数表

电缆型号规格	允许电流 A		卷缆长度(米)	参 数 (单位: mm)				重量 kg	备注
	芯数×截面	连续		瞬 时	D <sub>1</sub>	D <sub>2</sub>	W		
3×25 (48×18mm)	91	125	50	600	1400	60			
			100	600	1800	60			
			150	600	2100	60			
4×25 (94×18mm)	91	125	50	600	1400	100			
			100	600	1800	100			
			150	600	2100	100			
4×35 (71×20mm)	113	150	50	600	1500	85			
			100	600	1900	85			
			150	600	2300	85			
3×50 (60×22mm)	140	180	50	600	1500	70			
			100	600	2000	70			
			150	600	2300	70			
4×50 (79×22mm)	140	180	50	600	1500	100			
			100	600	2000	100			
			150	600	2300	100			
3×70 (73×26mm)	180	220	50	600	1700	100			
			100	600	2200	100			
			150	600	2600	100			
3×120 (85×31mm)	250	310	50	600	1800	100			
			100	600	2300	100			
			150	600	2900	100			
3×150 (85×31mm)	300	370	50	600	1800	110			
			100	600	2300	110			
			150	600	2900	110			